L Number	Hits	Search Text	DB	Time stamp
1	27	lind-peter.in.	USPAT;	2003/07/21 13:50
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT	
2	16	parodi-luis-a.in.	USPAT;	2003/07/21 13:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
3	12	vogeli-gabriel.in.	USPAT;	2003/07/21 13:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
4	8	wood-linda-s.in.	USPAT;	2003/07/21 13:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
5	3	ngpcr-14	USPAT;	2003/07/21 13:51
			US-PGPUB;	
Ì			EPO; JPO;	
			DERWENT	

Welcome to STN International! Enter x:x

LOGINID:ssspta1649jxm

PASSWORD:

- A - 17

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                Web Page URLs for STN Seminar Schedule - N. America
NEWS
     1
NEWS
     2
                 "Ask CAS" for self-help around the clock
                PCTGEN now available on STN
NEWS 3 Feb 24
NEWS 4 Feb 24
                TEMA now available on STN
NEWS 5 Feb 26 NTIS now allows simultaneous left and right truncation
NEWS 6 Feb 26 PCTFULL now contains images
NEWS 7 Mar 04 SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 8 Mar 24 PATDPAFULL now available on STN
NEWS 9 Mar 24
                Additional information for trade-named substances without
                 structures available in REGISTRY
NEWS 10 Apr 11
                Display formats in DGENE enhanced
        Apr 14
                MEDLINE Reload
NEWS 11
                 Polymer searching in REGISTRY enhanced
NEWS 12 Apr 17
NEWS 13
        Jun 13
                Indexing from 1947 to 1956 added to records in CA/CAPLUS
NEWS 14 Apr 21
                New current-awareness alert (SDI) frequency in
                 WPIDS/WPINDEX/WPIX
NEWS 15
        Apr 28
                RDISCLOSURE now available on STN
NEWS 16
        May 05
                 Pharmacokinetic information and systematic chemical names
                 added to PHAR
NEWS 17
        May 15
                MEDLINE file segment of TOXCENTER reloaded
NEWS 18
        May 15
                 Supporter information for ENCOMPPAT and ENCOMPLIT updated
        May 19
NEWS 19
                Simultaneous left and right truncation added to WSCA
NEWS 20 May 19
                RAPRA enhanced with new search field, simultaneous left and
                right truncation
NEWS 21
        Jun 06
                Simultaneous left and right truncation added to CBNB
NEWS 22
        Jun 06
                PASCAL enhanced with additional data
NEWS 23 Jun 20
                2003 edition of the FSTA Thesaurus is now available
NEWS 24
        Jun 25 HSDB has been reloaded
NEWS 25
        Jul 16 Data from 1960-1976 added to RDISCLOSURE
NEWS 26
        Jul 21
                Identification of STN records implemented
NEWS 27
        Jul 21 Polymer class term count added to REGISTRY
NEWS EXPRESS
             April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
             MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
             AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
              STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS INTER
             General Internet Information
NEWS LOGIN
             Welcome Banner and News Items
NEWS PHONE
             Direct Dial and Telecommunication Network Access to STN
NEWS WWW
             CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 13:53:39 ON 21 JUL 2003

=> file medline biosis embase caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

0.21 0.21

FILE 'MEDLINE' ENTERED AT 13:53:50 ON 21 JUL 2003

FILE 'BIOSIS' ENTERED AT 13:53:50 ON 21 JUL 2003 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 13:53:50 ON 21 JUL 2003

COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved.

FILE 'CAPLUS' ENTERED AT 13:53:50 ON 21 JUL 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> s lind peter /au

L1 127 LIND PETER

=> s parodi luis a /au

L2 22 PARODI LUIS A

=> s vogeli gabriel /au

L3 64 VOGELI GABRIEL

=> s wood linda s /au

L4 23 WOOD LINDA S

=> s ngpcr-14

L5 2 NGPCR-14

=> d l5 total ibib

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER: 2003:334489 CAPLUS

DOCUMENT NUMBER: 138:350272

TITLE: Human G protein-coupled receptor nGPCR-

14, its protein and cDNA sequences, and their

diagnostic and therapeutic uses for mental disorder

INVENTOR(S): Lind, Peter; Parodi, Luis A.; Vogeli, Gabriel; Wood,

Linda S.

PATENT ASSIGNEE(S): Swed.

SOURCE: U.S. Pat. Appl. Publ., 153 pp., Cont.-in-part of U.S.

Ser. No. 714,449.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

US 2003082534 A1 20030501 US 2001-782974 20010214

PRIORITY APPLN. INFO: US 1999-165838P P 19991116

US 1999-166071P P 19991117

US 1999-166678P P 19991119

US 1999-173396P P 19991228
US 2000-184129P P 20000222
US 2000-185554P P 20000228
US 2000-185554P P 20000302
US 2000-186530P P 20000303
US 2000-186811P P 20000303
US 2000-188114P P 20000309
US 2000-190310P P 20000317
US 2000-190800P P 20000321
US 2000-198568P P 20000420
US 2000-201190P P 20000502
US 2000-203111P P 20000508
US 2000-207094P P 20000525
US 2000-714449 A2 20001116

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2003 ACS on STN

ACCESSION NUMBER:

2002:637835 CAPLUS

DOCUMENT NUMBER:

137:181398

TITLE:

ه ، رسخه

Protein and cDNA sequences of human G protein-coupled receptor and its use in diagnosis of mental disorder Lind, Peter; Parodi, Luis A.; Voqeli, Gabriel; Wood,

INVENTOR(S):

Linda S.

PATENT ASSIGNEE(S):

Pharmacia & Upjohn Company, USA

SOURCE:

PCT Int. Appl., 244 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

```
PATENT NO.
                   KIND DATE
                                      APPLICATION NO. DATE
    -----
                                       -----
                    A1 20020822
                                      WO 2001-US4641 20010214
    WO 2002064789
        W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
            CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
            HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
            LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
            SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
            YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
        RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
            DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
            BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
PRIORITY APPLN. INFO.:
                                    WO 2001-US4641
                                                   20010214
REFERENCE COUNT:
                            THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
                            RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
```

09782974 Results

SEQ ID NO: 192

```
RESULT 1
I53154
scleraxis - mouse
C; Species: Mus sp. (mouse)
C;Date: 02-Aug-1996 #sequence revision 02-Aug-1996 #text change 05-Nov-
1999
C; Accession: 153154
R; Cserjesi, P.; Brown, D.; Ligon, K.L.; Lyons, G.E.; Copeland, N.G.;
Gilbert, D.J.; Jenkins, N.A.; Olson, E.N.
Development 121, 1099-1110, 1995
A; Title: Scleraxis: a basic helix-loop-helix protein that prefigures
skeletal formation during mouse embryogenesis.
A; Reference number: I53154; MUID: 95262555; PMID: 7743923
A; Accession: I53154
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 1-207 < RES>
A; Cross-references: GB: S78079; NID: q998898; PIDN: AAB34266.1;
PID: 9998899
  Query Match
                            1.8%; Score 9; DB 2; Length 207;
                           100.0%; Pred. No. 3.3;
  Best Local Similarity
  Matches
             9; Conservative 0; Mismatches
                                                     0; Indels
                                                                   0;
Gaps
        0;
          189 SPLPPPPPP 197
Qу
               | | | | | | | | | |
Db
          160 SPLPPPPPP 168
RESULT 3
A58938
surface protein rhoptry ROP1 precursor - Toxoplasma gondii
C; Species: Toxoplasma gondii
C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text change 10-Sep-
C; Accession: A58938; A45644; S37697
R; Boothroyd, J.C.
submitted to GenBank, July 1995
A; Reference number: A58938
A; Accession: A58938
A; Status: preliminary
A; Molecule type: mRNA
A; Residues: 1-396 <BOO>
A; Cross-references: GB: M71274; NID: g897822; PIDN: AAA69859.1;
PID:q897823
A; Note: revision to sequence reported in A45644
```

```
R;Ossorio, P.N.; Schwartzman, J.D.; Boothroyd, J.C.
Mol. Biochem. Parasitol. 50, 1-15, 1992
A; Title: A Toxoplasma gondii rhoptry protein associated with host cell
penetration has unusual charge asymmetry.
A; Reference number: A45644; MUID: 92178277; PMID: 1542304
A; Accession: A45644
A; Molecule type: mRNA
A; Residues: 'MACRQLLCSVQNLLFFFLRDIYCTDFDT', 1-352, 'FPQR', 358-
364, 'R', 366, 'I', 393, 'SP', 396, 'AAELMARRAGPYWAKEESRMMDRNNTGSMLLDSAKTTVSRK
RGSGVLRS' <OSS>
A; Cross-references: EMBL:M71274; NID:g897822
A; Note: sequence extracted from NCBI backbone (NCBIN:85178,
NCBIP:85179)
C; Superfamily: surface protein rhoptry
C; Keywords: surface antigen
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-396/Product: surface protein rhoptry #status predicted <MAT>
                            1.8%; Score 9; DB 1; Length 396;
  Query Match
  Best Local Similarity
                           100.0%; Pred. No. 5.6;
             9; Conservative 0; Mismatches
                                                    0; Indels
                                                                   0;
Gaps
        0;
Oy
          190 PLPPPPPPT 198
              11111111
Db
          227 PLPPPPPPT 235
RESULT 4
S11674
acrosin (EC 3.4.21.10) precursor - human
C; Species: Homo sapiens (man)
C;Date: 10-Sep-1999 #sequence revision 10-Sep-1999 #text change 16-Jun-
2000
C; Accession: S11674; S23499; S12063; A61022; S03330
R; Keime, S.; Adham, I.M.; Engel, W.
Eur. J. Biochem. 190, 195-200, 1990
A; Title: Nucleotide sequence and exon-intron organization of the human
proacrosin gene.
A; Reference number: S11674; MUID: 90306003; PMID: 2114285
A; Accession: S11674
A; Molecule type: DNA
A; Residues: 1-421 <KEI>
A; Cross-references: EMBL: X54017; NID: q35582; PIDN: CAA37964.1;
PID:g1216165
A; Note: the authors translated the codon AGG for residue 64 as Thr and
CTG for residue 268 as Arq
R; Vazquez-Levin, M.H.; Reventos, J.; Gordon, J.W.
Eur. J. Biochem. 207, 23-26, 1992
A; Title: Molecular cloning, sequencing and restriction mapping of the
genomic sequence encoding human proacrosin.
A; Reference number: S23499; MUID: 92331659; PMID: 1628652
A; Accession: S23499
A; Status: nucleic acid sequence not shown; translation not shown
A; Molecule type: DNA
```

```
A; Residues: 1-421 < VAZ>
A; Cross-references: EMBL:M77378
A; Note: the nucleotide sequence was submitted to the EMBL Data Library,
October 1992
R: Keime, S.
submitted to the EMBL Data Library, December 1989
A; Reference number: S12063
A; Accession: S12063
A; Molecule type: DNA
A; Residues: 1-225, 'R', 227-421 < KEI2>
A; Cross-references: EMBL: X54017
R; Adham, I.M.; Klemm, U.; Maier, W.M.; Engel, W.
Hum. Genet. 84, 125-128, 1990
A; Title: Molecular cloning of human preproacrosin cDNA.
A; Reference number: A61022; MUID:90128988; PMID:2298447
A; Accession: A61022
A; Status: not compared with conceptual translation
A; Molecule type: mRNA
A; Residues: 1-63, 'T', 65-225, 'V', 227-267, 'R', 269-421 < ADH>
R; Baba, T.; Watanabe, K.; Kashiwabara, S.I.; Arai, Y.
FEBS Lett. 244, 296-300, 1989
A; Title: Primary structure of human proacrosin deduced from its cDNA
sequence.
A; Reference number: S03330; MUID: 89153568; PMID: 2493394
A; Accession: S03330
A; Molecule type: mRNA
A; Residues: 1-63, 'T', 65-119, 'V', 121-165, 'L', 167-267, 'R', 269-
344, 'R', 346-421 <BAB>
A; Cross-references: EMBL:Y00970; NID:q28325; PIDN:CAA68784.1;
PID:q28326
C: Genetics:
A; Gene: GDB: ACR
A; Cross-references: GDB:119645; OMIM:102480
A; Map position: 22q13-22qter
A; Introns: 26/2; 94/2; 189/2; 237/3
C; Superfamily: acrosin; trypsin homology
C; Keywords: glycoprotein; hydrolase; serine proteinase; sperm
F;1-19/Domain: signal sequence #status predicted <SIG>
F;20-421/Product: acrosin #status predicted <MAT>
F;20-42/Product: acrosin light chain #status predicted <LCH>
F;43-421/Product: acrosin heavy chain #status predicted <HCH>
F;43-285/Domain: trypsin homology <TRY>
F;302-379/Region: proline-rich
F;22,210/Binding site: carbohydrate (Asn) (covalent) #status predicted
F;25-154/Disulfide bonds: #status predicted
F;29-162/Disulfide bonds: #status predicted
F;73-89/Disulfide bonds: #status predicted
F;88,142,240/Active site: His, Asp, Ser #status predicted
F;177-246/Disulfide bonds: #status predicted
F;209-225/Disulfide bonds: #status predicted
F;236-266/Disulfide bonds: #status predicted
  Query Match
                           1.8%; Score 9; DB 1; Length 421;
 Best Local Similarity
                          100.0%; Pred. No. 5.9;
 Matches
             9; Conservative 0; Mismatches
                                                    0; Indels
Gaps
        0;
```

```
189 SPLPPPPPP 197
Qу
              11111111
Db
          359 SPLPPPPPP 367
RESULT 10
S59155
NADH2 dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 6 - land snail
mitochondrion
C; Species: mitochondrion Albinaria coerulea (land snail)
C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 03-Jun-
2002
C; Accession: S59155
R; Hatzoglou, E.; Rodakis, G.C.; Lecanidou, R.
Genetics 140, 1353-1366, 1995
A; Title: Complete sequence and gene organization of the mitochondrial
genome of the land snail Albinaria coerulea.
A; Reference number: S59143; MUID: 96120351; PMID: 7498775
A; Accession: S59155
A; Status: translation not shown
A; Molecule type: DNA
A; Residues: 1-155 <HAT>
A; Cross-references: EMBL:X83390; NID:g975668; PIDN:CAA58308.1;
PID:g975681; GSPDB:GN00133
C; Genetics:
A; Gene: ND6
A; Genome: mitochondrion
A; Genetic code: SGC4
C; Superfamily: NADH dehydrogenase (ubiquinone) chain 6
C; Keywords: membrane-associated complex; mitochondrion; NAD; oxidative
phosphorylation; oxidoreductase; respiratory chain
  Query Match
                           1.6%; Score 8; DB 2; Length 155;
  Best Local Similarity
                          100.0%; Pred. No. 21;
             8; Conservative
                                0; Mismatches
                                                    0; Indels
                                                                  0;
Gaps
        0;
          296 MSLLLALL 303
Qу
              111111
           24 MSLLLALL 31
Db
RESULT 5
TMG2 HUMAN
     TMG2 HUMAN
ID
                    STANDARD;
                                   PRT;
                                           202 AA.
AC
    014669;
DT
     15-JUN-2002 (Rel. 41, Created)
     15-JUN-2002 (Rel. 41, Last sequence update)
DT
DT
     15-JUN-2002 (Rel. 41, Last annotation update)
     Transmembrane gamma-carboxyglutamic acid protein 2 precursor
DΕ
(Proline-
DE
     rich Gla protein 2) (Proline-rich gamma-carboxyglutamic acid
```

protein

```
DΕ
     2).
GN
     PRRG2 OR TMG2 OR PRGP2.
os
     Homo sapiens (Human).
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC
OC
     Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX
     NCBI TaxID=9606;
RN
     [1]
RP
     SEQUENCE FROM N.A.
RX
     MEDLINE=97404347; PubMed=9256434;
     Kulman J.D., Harris J.E., Haldeman B.A., Davie E.W.;
RA
RT
     "Primary structure and tissue distribution of two novel proline-
rich
RT
     gamma-carboxyglutamic acid proteins.";
     Proc. Natl. Acad. Sci. U.S.A. 94:9058-9062(1997).
RL
CC
     -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC
     -!- TISSUE SPECIFICITY: Highly expressedd in the thyroid.
CC
     -!- PTM: Gla residues are produced after subsequent
posttranslational
        modifications of glutamic acid by a vitamin K-dependent gamma-
CC
CC
        carboxylase.
CC
    This SWISS-PROT entry is copyright. It is produced through a
collaboration
    between the Swiss Institute of Bioinformatics and the EMBL
outstation -
CC
    the European Bioinformatics Institute. There are no restrictions
on its
CC
    use by non-profit institutions as long as its content is in
no way
    modified and this statement is not removed. Usage by and for
commercial
    entities requires a license agreement (See http://www.isb-
sib.ch/announce/
    or send an email to license@isb-sib.ch).
CC
     DR
    EMBL; AF009243; AAB67071.1; -.
DR
    HSSP; P00740; 1CFH.
DR
    Genew; HGNC:9470; PRRG2.
    MIM; 604429; -.
DR
DR
    InterPro; IPR002383; GLA blood.
DR
    InterPro; IPR000294; VitK dep GLA.
DR
    Pfam; PF00594; gla; 1.
DR
    PRINTS; PR00001; GLABLOOD.
DR
    SMART; SM00069; GLA; 1.
    PROSITE; PS00011; GLU CARBOXYLATION; 1.
DR
    Gamma-carboxyglutamic acid; Vitamin K; Transmembrane; Signal.
KW
FT
    SIGNAL
                 1
                        23
                                POTENTIAL.
FT
    PROPEP
                 24
                        49
FT
    CHAIN
                 50
                       202
                                TRANSMEMBRANE GAMMA-CARBOXYGLUTAMIC
ACID
FT
                                 PROTEIN 2.
FT
    DOMAIN
                50
                       109
                                EXTRACELLULAR (POTENTIAL).
FT
    TRANSMEM
                110
                       132
                                POTENTIAL.
FT
    DOMAIN
                133 202
                                CYTOPLASMIC (POTENTIAL).
FT
    DOMAIN
                54
                      91
                                GLA-RICH.
```

```
FΤ
     DOMAIN
                 161
                        173
                                  POLY-PRO.
FT
     DOMAIN
                 191
                        194
                                  POLY-PRO.
SO
     SEOUENCE
                202 AA; 22393 MW; BC79400C98492060 CRC64;
  Query Match
                           1.6%; Score 8; DB 1; Length 202;
                          100.0%; Pred. No. 11;
  Best Local Similarity
                                0; Mismatches
  Matches
             8; Conservative
                                                   0; Indels
                                                                  0;
       0;
Gaps
          190 PLPPPPPP 197
Qу
              Db
          164 PLPPPPPP 171
RESULT 8
AAY13081
     AAY13081 standard; Protein; 73 AA.
XX
AC
     AAY13081;
XX
DT
     22-JUN-1999 (first entry)
XX
     Human secreted protein encoded by 5' EST SEQ ID NO: 95.
DΕ
XX
KW
     Human; secreted protein; EST; expressed sequence tag; diagnosis;
KW
     forensic; gene therapy; chromosome mapping; signal peptide;
KW
     upstream regulatory sequence; cytokine activity; cell
proliferation;
     differentiation; haematopoiesis regulation; tissue growth
regulation;
     reproductive hormone regulation; chemotactic; chemokinetic;
haemostatic;
KW
     thrombolytic; anti-inflammatory; tumour inhibition.
XX
os
     Homo sapiens.
XX
PN
     WO9906552-A2.
XX
PD
     11-FEB-1999.
XX
PF
     31-JUL-1998:
                    98WO-IB01236.
XX
PR
     01-AUG-1997;
                    97US-0905223.
XX
PΑ
     (GEST ) GENSET.
XX
ΡI
     Duclert A, Dumas Milne Edwards J, Lacroix B;
XX
DR
     WPI; 1999-153782/13.
     N-PSDB; AAX51881.
DR
XX
PT
     New isolated brain-derived nucleic acids - used to develop
products
PT
     which may have cytokine, immune, regulatory, haematopoiesis
     regulating, anti-inflammatory or tumour inhibition activity
PT
XX
```

```
Claim 34; Page 493-494; 577pp; English.
PS
XX
     AAX51787 to AAX52019 represent 5' expressed sequence tags (ESTs)
CC
for
    human secreted proteins, and encode the proteins given in AAY12987
CC
to
    AAY13219, respectively. The proteins given represent the signal
CC
peptide
     and an N-terminal fragment of a secreted protein. The nucleic acid
CC
     sequences can be used for producing secreted human gene products.
CC
They
CC
    can also be used to develop products for diagnosis and therapy.
The
    proteins obtained may have cytokine activity, cell
CC
    proliferation/differentiation activity, haematopoiesis regulating
CC
CC
     activity, tissue growth regulating activity, reproductive hormone
    regulating activity, chemotactic/ chemokinetic activity,
haemostatic and
     thrombolytic activity, receptor/ ligand activity, anti-
inflammatory
    activity, tumour inhibition activity or other activities. The
products
    can be used in forensic, gene therapy and chromosome mapping
procedures.
     The sequences can also be used for obtaining corresponding
CC
promoter
     sequences. The nucleic acids encoding the signal peptide can be
CC
used for
    directing extracellular secretion of a polypeptide or the
insertion of a
    polypeptide into a membrane, or importing a polypeptide into a
CC
cell.
XX
SQ
    Sequence
               73 AA;
 Query Match
                          9.4%; Score 48; DB 20; Length 73;
                         100.0%; Pred. No. 6.2e-34;
 Best Local Similarity
 Matches
           48; Conservative
                                0; Mismatches
                                               0; Indels
                                                                0;
Gaps
          11 PPAPNISVPILLGWGLNLTLGQGAPASGPPSRRVRLVFLGVILVVAVA 58
Qу
             11 PPAPNISVPILLGWGLNLTLGQGAPASGPPSRRVRLVFLGVILVVAVA 58
Db
RESULT 13
AAY74132
    AAY74132 standard; Protein; 274 AA.
ID
XX
AC
    AAY74132;
XX
DT
    14-MAR-2000 (first entry)
XX
DΕ
    Human prostate tumor EST fragment derived protein #319.
XX
KW
    Pancreas; tumor; EST; expressed sequence tag; human; cytostatic;
```

```
KW
     treatment.
XX
     Homo sapiens.
os
XX
PN
    DE19820190-A1.
XX
PD
     04-NOV-1999.
XX
PF
     28-APR-1998;
                    98DE-1020190.
XX
                   98DE-1020190.
PR
     28-APR-1998;
XX
     (META-) METAGEN GES GENOMFORSCHUNG MBH.
PΑ
XX
PΙ
     Rosenthal A, Specht T, Hinzmann B, Schmitt A, Pilarsky C,
Dahl E;
XX
DR
    WPI; 1999-621386/54.
    N-PSDB; AAZ52963.
DR
XX
PT
    New human nucleic acid sequences from pancreatic tumors, and
related
PT
    proteins -
XX
PS
    Claim 23; Page 442; 502pp; German.
XX
CC
     This invention describes novel polypeptides and their encoding
nucleic
    acids derived from human pancreatic tumor tissue which have
CC
cytostatic
CC
    activity. The sequences are also useful in producing
pharmaceutical
    compositions for treatment of pancreatic tumors. AAY73814-Y74252
CC
    represent protein fragments encoded by the human pancreatic tumor
cDNA
CC
    library derived expressed sequence tag (EST) sequences represented
in
CC
    AAZ52858-Z53014.
XX
SQ
    Sequence
               274 AA;
 Query Match
                          1.8%; Score 9; DB 20; Length 274;
 Best Local Similarity 100.0%; Pred. No. 18;
 Matches
            9; Conservative
                               0; Mismatches
                                                  0; Indels
                                                                0;
       0;
Gaps
         202 PGAPPAARA 210
Qу
              Db
          87 PGAPPAARA 95
```

Sequence Comparison A

```
RESULT 1
I53154
scleraxis - mouse
C; Species: Mus sp. (mouse)
C;Date: 02-Aug-1996 #sequence revision 02-Aug-1996 #text change 05-Nov-
1999
C; Accession: I53154
R; Cserjesi, P.; Brown, D.; Ligon, K.L.; Lyons, G.E.; Copeland, N.G.;
Gilbert, D.J.; Jenkins, N.A.; Olson, E.N.
Development 121, 1099-1110, 1995
A; Title: Scleraxis: a basic helix-loop-helix protein that prefigures
skeletal formation during mouse embryogenesis.
A; Reference number: I53154; MUID: 95262555; PMID: 7743923
A; Accession: I53154
A; Status: preliminary; translated from GB/EMBL/DDBJ
A; Molecule type: mRNA
A; Residues: 1-207 < RES>
A; Cross-references: GB: S78079; NID: q998898; PIDN: AAB34266.1;
PID:g998899
                          1.8%; Score 9; DB 2; Length 207;
  Query Match
 Best Local Similarity 100.0%; Pred. No. 3.3;
                               0; Mismatches
 Matches
            9; Conservative
                                                  0; Indels
                                                                0;
Gaps
       0;
         189 SPLPPPPPP 197
Qу
              160 SPLPPPPPP 168
Db
```